

# WCATC 2022 Pull Rules

## General Rules

1. All drivers must be 16 years of age or older & must sign release form.
  - a. Children between the ages of 14-16 may pull with approval of track officials
  - b. Drivers may be require to provide proof of age
  - c. Drivers under the age of 18 must have a parent/guardian signature
2. Hook fee is \$15 per hook
3. A tractor may pull twice in the same class if there are 2 different drivers
4. All drivers must remain seated during the pull
5. Maximum drawbar height is 18" from the level ground to the top of the hitch
  - a. Minimum drawbar length is 18" from the center of the rear axle to the hitch point
  - b. Tractors must have a pulling loop or clevis
  - c. All hitches must be approved at the time of weigh in by the scale operator
6. Track length is 200ft with a floating finish
  - a. A pull off will occur if 2 or more competitors pull over 300ft in the same class
7. Anything falling off of the tractor while it is on the track will result in a disqualification
8. If a driver stops the tractor within the first 50ft , they may have one additional attempt to pull, except in a pull off situation
9. Front end lift is limited to 24inches from the ground to the bottom of the front tractor tire
10. Any part of the tractor or sled touching the boundary lines during the pull will result in a disqualification
11. Weights cannot extend past the rear tires in a rearward direction
12. A driver may protest another driver's tractor if they are in the same class
  - a. The protester's tractor will also be inspected
13. Officials have the right to enforce the rules at all times.
  - a. Officials have the right deem a tractor to unsafe
  - b. Decisions made by track officials are final
14. WCATC reserves the right to add or change classes as needed
15. **Remember, this is not pro circuit pulling! We are here to have fun! Our club, rules, decisions may not perfect and we may make a mistake, but unsportsmanlike conduct will not be tolerated. Those who violate this rule will be asked to leave without a refund.**

Antique/Show/Field Stock Classes 1965 and older  
3000, 3500, 4500, 5500, 6500, 7500, 8500

1. Tractor must be factory appearing
  - a. All original sheet metal must in place
  - b. Must have factory drawbar and hitch
  - c. Must have factory style seat base and seat
  - d. Factory hydraulics, pto, pulleys etc... must be in place if so equipped
  - e. Factory air intakes must be in place
  - f. Must have completely factory powertrain
    - i. If the engine has been replaced it must be the same model engine
2. Tractors must run on gasoline, diesel, propane or kerosene
3. Solid, pneumatic, radials and steel wheels allowed. No cut tires permitted.
4. Rpm's and horsepower must not exceed factory specifications by 10%
5. Factory weights only and must be fastened in a factory manor
  - a. All thread is permitted but homemade and aftermarket wheel weight brackets are not
6. Tire sizes are limited to 1 size over stock according to tractordata.com and using the modern tire size conversion chart
7. Tractors will be allowed 100lbs over the class weight
8. Officials have to right to decide if a tractor is truly an antique class tractor
9. 3 mph speed limit
  - a. Only 1 horn warning will be given. The driver must slow down immediately
  - b. If the horn blows a 2<sup>nd</sup> time or the driver does not slow immediately they will be disqualified

## 4.0 Open/Mild Class 1965 and older

3500, 4500, 5500, 6500, 7500, 8500, 9500

1. All engines must be of the same make, number of cylinders and mounted as the original
2. All tractors must run on gasoline, propane or diesel
3. All engines must be naturally aspirated, except a factory turbocharged AC D19
4. Non diesel engines may only have a single updraft carburetor
5. Field/Un Cut Tires Only
  - a. 3,000lb-4500lb Tire size limits
    - i. 18.4 on a 26" rim or smaller
    - ii. 16.9 on a 34" rim or smaller
    - iii. 15.5 on a 38" rim or smaller
  - b. 5,500lb-9,500lb Tire size limits
    - i. 23.1 on a 26" rim or smaller
    - ii. 20.8 on a 34" rim or smaller
    - iii. 18.4 on a 38" rim or smaller
6. Tractors will be allowed 100lbs over the weight class
7. 3.5mph speed limit
  - a. Only 1 horn warning will be given. The driver must slow down immediately
  - b. If the horn blows a 2<sup>nd</sup> time **or** the driver does not slow down immediately, they will be disqualified
8. 4 & 6 cylinder engines are limited to 3,000 rpms. 2 cylinders are limited to 1,500 rpm
9. Aftermarket/suitcase weights and brackets are allowed but must be secured
10. Adjustable hitches are permitted

5mph Hot Class 1965 and older  
3,500lb, 4,500lb, 5,500lb, 6,500lb, 7,500lb

1. All engines must be of the same make, number of cylinders and mounted as the original
2. All tractors must run on gasoline, propane or diesel
3. All engines must be naturally aspirated, except a factory turbocharged AC D19
4. Non diesel engines may only have a single updraft carburetor
5. Top Cut Tires Permitted
  - a. 3,000lb-4500lb Tire size limits
    - i. 18.4 on a 26" rim or smaller
    - ii. 16.9 on a 34" rim or smaller
    - iii. 15.5 on a 38" rim or smaller
  - b. 5,500lb-9,500lb Tire size limits
    - i. 23.1 on a 26" rim or smaller
    - ii. 20.8 on a 34" rim or smaller
    - iii. 18.4 on a 38" rim or smaller
6. Tractors will be allowed 100lbs over the weight class
7. 5mph speed limit
  - a. Only 1 horn warning will be given. The driver must slow down immediately
  - b. If the horn blows a 2<sup>nd</sup> time **or** the driver does not slow down immediately, they will be disqualified
8. No Rpm Limit
9. Aftermarket/suitcase weights and brackets are allowed but must be secured
10. Wheelie Bars Required
11. Adjustable hitches are permitted

[www.wcatc.com](http://www.wcatc.com)